



Technical specifications



Contents

Technical data	2
Construction.....	3
Sails and rigging.....	3
Hardware.....	3
Mooring and anchoring	4
Engine.....	4
Plumbing.....	4
Electrical	5
Deck layout.....	6
Windows, openings and ventilation	7
Interior layouts	7
3 cabin 3 bathroom version.....	9
4 cabin 4 bathroom version	14
6 cabin 6 bathroom version	18

Technical data

Length overall	14.75 m / 48'5"
Length	14.31 m / 46'1"
Maximum beam	8.10 m / 26'7"
Air draft	26.51 m / 87'
Draft	1.40 m / 4'7"
Displacement (CE)	19.956 T / 43,910 Lbs
Upwind sail area (std mainsail)	144, m ² / 1549 sq.ft.
Upwind sail area (square top mainsail)	147 m ² / 1582 sq.ft.
Fully battened mainsail	89 m ² / 958 sq.ft.
Square top mainsail (option)	92 m ² / 990 sq.ft.
Self-tacking jib	55 m ² / 592 sq.ft.
Spinnaker	240 m ² / 2582 sq.ft.
Code 0 (option)	117 m ² / 1259 sq.ft.
Fresh water capacity	2 x 240 L (Option 2 x 175 L) 2 x 63 US gal (Option 2 x 46 US gal)
Fuel capacity	2 x 520 l / 2 x 137 US gal
Engines	2 x 57 hp CR to 2 x 80 hp CR
Architects	VPLP Design
Exterior Design	Patrick le Quément
Interior Design	Nauta Design
Number of berths	6 to 14
CE Certification	A : 12 - B : 14 - C : 20 - D : 30

NORTH AMERICAN SPECIFICATIONS

Only for boats sold in US

- 120V Electric panel and electric equipment
- US 120V outlets
- Gas propane circuit with solenoid valve

Construction

- Construction: Polyester and high quality anti-osmotic resin
- Hull, deck and coachroof laminated by infusion
- Balsa core hull, solid laminate under waterline, white gel coat
- Balsa core bridge deck and deck
- Laminated or glued marine plywood bulkheads

Sails and rigging**SAILS**

- 1 high roach mainsail in Dacron with battens
- 1 self-tacking jib in Dacron on furler with UV protective band,

STANDING RIGGING

- Anodized aluminum mast with mainsail ball bearing track system
- 2 spreader rig
- Anodized aluminum boom
- 2 encased cap shrouds
- 2 encased lower shrouds
- 2 shroud chainplates
- 2 forestay chainplates
- 1 forestay with furler for self-tacking jib
- Adjustable lazy-jacks
- Deck light on mast

RUNNING RIGGING

- 1 double-purchase Spectra mainsail halyard
- 1 Spectra self-tacking jib halyard
- 1 mainsheet - pre-stretched
- 1 self-tacking jib sheet - pre-stretched
- 1 boom topping lift
- 3 reefing lines - pre-stretched (1st Dyneema)
- 1 genoa furling line - pre-stretched
- 2 mainsail traveler car control lines - pre-stretched
- 1 self-tacking jib furler line - pre-stretched
- 1 mainsheet traveler line - pre-stretched

Hardware

- 2 manual winches size 50.2 STA
- Mainsail track and ball-bearing car
- 2 mainsheet track clutches
- Track and car for jib sheet with stopper

- Anodized aluminum cross beam with fixing point for the jib furler and bow roller

Mooring and anchoring

- Composite longitudinal crossbeam with integrated chain run and mooring cleat
- 8 mooring cleats
- 2000W / 12V electrical windlass with vertical axis, in chain locker, chain 12mm
- Access to windlass and to anchor locker

Engines

- 2 diesel engines YANMAR 4JH57 57hp common rail saildrive
- Fixed three blade propeller
- Sea water filter
- Mechanical engine throttles at the helm station
- Engine compartment ventilation: electrical extraction in the aft transom
- Fuel circuit:
 - 2 aluminum tanks of 2 x 520 liters / *137 US gal*
 - Fuel filter systems
 - Fuel shut off valve
 - Gauge at the general control panel on touch screen
- Access to the engine compartments from the transom through hatches
- Fuel shut off valve under the berths of the aft cabins

Plumbing

FRESH WATER CIRCUIT

- Fresh water tank: 2 x 240L / *63 US gal*/under floor
Gauge at the general control panel on touch screen
- Fresh water circuit with 1 main water group 36L / *9.5 US gal*
- 60L / *16 US gal* electric water heater, 230V/engine exchanger for 3 and 4 cabin versions
- 100L / *26 US gal*/electric water heater, 230V/engine exchanger for 6 cabin version

GREY WATER

- Shower and sink drain to grey water tank and automatic pump
- Cockpit and saloon grey water drain directly overboard
- Heads grey water: shower and sink grey waters drain to grey water sump integrated in the composite shower tray. Dedicated unit pump.

BLACK WATER

- Black water holding tank: 2 x 120L / *32 US Gal*, one tank per hull under floor
- Tank drain by electrical pump. Switch and gauge at chart table
- Manual sea water WC

- Discharge fitting on deck

BILGE PUMP SYSTEM

- 1 manual bilge pump per hull
Engine compartment and forepeak connection by valve
Location: 1 manual pump on starboard seat + 1 manual pump on port seat
- 1 automatic immersed bilge pump per hull + 1 float switch per sump
Bilge pump management on general control panel at chart table
(Alarm signal at chart table and flybridge)
- Self-draining cockpit compliant to the CE certifications

Electrical

POWER CIRCUIT DC – 12V

- 2 harnessed alternators 12V 80A
- 2 start batteries 12V - 50A
- 3 service batteries 12V -140A (acid)
Batteries in composite box
- Battery circuit breaker in the engine compartment (positive break only)
Double battery circuit breaker board:
Starboard: engine battery breaker + Coupling
Port: engine battery breaker + service battery breaker
- General control panel 12V at chart table with circuit breaker protection
- USB sockets 12V included in the electrical panel
- USB sockets 12V at helm station (x2)

230V - AC CIRCUIT

- Inverter 12/230V 50 Hz 150W for burner stove operation, PIEZO

LIGHTING

- Wireless lighting with centralized touch screen control at chart table
- Recessed 12V LED spotlights in ceiling
- 12V LED reading light next to bunks
- 12V LED chart table light
- 12V lighting in engine compartment
- LED navigation lights

Deck layout

TRANSOM

- Hot/cold deck shower on starboard
- S/S telescopic swim ladder with fixed handle on starboard

AFT COCKPIT

- Large cockpit usable as a deck saloon, protected by a hard top bimini
- Bench with large storage locker on port side
- Gas locker under the stairs (1 bottle of 13kg / 29 lb)
- Polyester cockpit table (1400 x 824mm / 55in x 32in) for 10 people on port side
- Exterior furniture to starboard:
 - Sink integrated into the composite furniture
 - Corian® Warm Grey top
 - Tray and cup holder
 - Double door with shelves for storage
- Lounger/seat on starboard with large storage locker
- Composite aft beam:
 - Seats
 - Liferaft locker under seat
- Composite non-streaming toe rails on cockpit sides
- Cockpit flush-decked with saloon
- Non-slip cockpit sole

FLYBRIDGE

- Twin access stairways from deck, integrated with the coachroof
- Large bench with backrest, helm seat
- Access and large storage locker under the sunbed
- Ergonomically-designed helm station with:
 - Leather covered steering wheel and brake 900mm
 - Engine throttle and panel
 - Console for screen and instrumentation
 - Cup holder
 - Halyard and sheet storage

FORWARD COCKPIT

- 2 large storage lockers under seats
- Nylon netting

BOW LOCKERS

- Locking bow lockers with access through flush deck hatches, LEWMAR T60
- Wooden flooring

- White painting
- Lighting

STANCHIONS AND LIFE LINES

- Pushpits with flag support
- Stanchions: H 610mm / 24in
- Double lifelines

Windows, openings and ventilation

- Sliding door
- Deck hatches:
 - Flush deck hatch T10 (quantity 6)
 - Flush deck hatch T44 (quantity 4)
 - Flush deck hatch T60 (quantity 2)
- Hull portholes
 - Fixed PMMA portholes (quantity 6) with integrated openings

Interior layouts

GENERAL

- Construction in Alpi Walnut plywood, horizontal grain
- Plywood floor: Asburgo
- Finish: UV varnish
- Leather/leatherette covered handrail
- Fabric-covered plywood ceiling panels in cabins, saloon and heads

STANDING HEADROOM

- | | |
|----------|--------------|
| ▪ Saloon | 2.05m / 8'2" |
| ▪ Cabin | 2.00m / 6'6" |
| ▪ Head | 2.00m / 6'6" |

MATTRESSES AND UPHOLSTERY

- Marine mattresses made of multi-layer alveolar foam with several densities (tick. 120mm / 5")
- Mattresses treatment: anti-microbial, anti-bacterial, non-allergenic, anti-dust mite
- Standard upholstery as indicated on Lagoon sample book
- Synthetic fabrics adapted to marine environment:
 - washable (40°C / 104°F)
 - U.V. resistant
 - water repellent, with anti-stain treatment

- Blinds and curtains:
 - Pleated fabric curtains for saloon
 - Blind model pleated-shade, blackout fabric for cabins
 - Roller blind in waterproof fabric for shower and head

3 cabin 3 bathroom version**GALLEY**

- Access through sliding door

To port

L-shaped galley area with:

- Corian® Warm Grey top
- Sink with integrated draining rack in the worktop
- Hot/cold mixer tap
- Bottle rack (7 bottles)
- 4-burner gas stove
- Gas oven
- Storage under sink:
 - Single door general shelving compartment
 - 1 cutlery drawer
 - 2 drawers for pans
 - 6-place dishwasher (optional)
- High-level storage lockers

To starboard

- Corian® Warm Grey worktop
- High-level storage lockers
- 190 L / 50 US gal/stainless steel drawer fridge
- Low storage lockers with shelves

CENTRAL FURNITURE

- Back: 1 storage niche + 1 bottle storage niche (6 bottles)
- Port: waste bin
- Starboard: storage behind door
- Front: top access storage, opening by flap

FORWARD AREA

- U-shaped sofa
- Dining table in Alpi Walnut (750 x 1135mm / 29.5in x 45in)
- Chart table to starboard



PORT HULL

Aft cabin

- Double bed with lateral access (2.05m x 1.60 / 6.7ft x 5.2ft)
- 2 bedside tables + shelf running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Inboard side:
 - 1 full height unit with 1 shelf in upper part, 1 wardrobe and 1 shelf in lower part
- Outboard side:
 - 1 bookcase with 3 shelves in upper part + 1 unit with 1 shelf behind door in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 fixed hull window in PMMA with integrated opening porthole

Aft bathroom

- Corian® Clam Shell countertop
- Integrated sink with hot/cold mixer tap
- High storage unit with shelf behind mirrored sliding door
- Low storage unit with shelf behind double door
- Separate shower with Plexiglas door
- Composite shower duckboard
- Shampoo storage integrated in the composite shower block
- Large manual toilet
- 1 opening flush deck hatch T10
- 1 fixed hull window in bathroom and 1 fixed hull window in PMMA with integrated opening porthole in shower

Forward cabin

- Double bed with lateral access (2.05m x 1.50 / 6.7ft x 5ft)
- 2 shelves running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Inboard side:
 - 1 bookcase with 3 shelves
 - 1 storage unit with:
 - 1 full height door with wardrobe
 - 1 double door with shelves in upper part + 4 drawers in lower part
- Outboard side:
 - 1 full height door with wardrobe in upper part and 2 shelves in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 opening flush deck hatch T10 in the wardrobe area
- 1 fixed hull window in PMMA with integrated opening porthole

Forward bathroom

- Corian® Clam Shell countertop
- Integrated sink with hot/cold mixer tap
- High storage unit with shelf behind mirrored sliding door
- Low storage unit with shelf behind double door
- Separated shower with Plexiglas door
- Composite shower duckboard
- Shampoo storage integrated in the composite shower block
- Large manual toilet
- 1 opening flush deck hatch T10
- 1 fixed hull window in bathroom and 1 fixed hull window in PMMA with integrated opening porthole in shower

STARBOARD HULL

Owner's suite

Night area:

- Double bed with lateral access (2.05m x 1.60/ 6.7ft x 5.2ft)
- 2 bedside tables + shelf running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Outboard side:
 - 1 bookcase with 3 shelves in upper part + 1 unit with 1 shelf behind door in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 fixed hull window in PMMA with integrated opening porthole

Day area:

- Outboard side:
 - 1 bookcase with 3 shelves in upper part + 3 drawers in lower part
 - 1 desk with flap and 1 stool
 - 1 sofa with sideboard
- Inboard side:
 - 2 storage/wardrobe areas on each side of the companionway staircase
- 2 fixed hull windows in PMMA including one with integrated opening porthole
- 2 opening flush deck hatches T10

Owner's bathroom

Bathroom area:

- Access from the cabin through wooden door
- Outboard side:
 - Corian® Clam Shell countertop
 - Integrated sink with hot/cold mixer tap
 - Low-level unit: 2 storage compartments with double door
 - 1 fixed hull window in PMMA with integrated opening porthole
- Inboard side:
 - Corian® Clam shell countertop
 - Integrated sink with hot/cold mixer tap
 - Low-level unit: 2 storage compartments with double door
 - High-level storage unit with shelf behind mirrored sliding door + 2 storage niches
 - Large storage unit

Shower area:

- Composite shower

- Shampoo storage integrated in the composite shower block
- Composite shower duckboard
- 1 opening flush deck hatch T44 above the shower

Separate toilet area:

- Access from the bathroom through wooden door
- Large manual toilet
- Outboard side: low-level unit and high mirror
- 1 opening flush deck hatch T10

4 cabin 4 bathroom version**GALLEY**

- Access through sliding door

To port

L-shaped galley area with:

- Corian® Warm Grey worktop
- Sink with integrated draining rack in the worktop
- Hot/cold mixer tap
- Bottle rack (7 bottles)
- 4-burner gas stove
- Gas oven
- Storage under sink:
 - Single door general shelving compartment
 - 1 cutlery drawer
 - 2 drawers for pans
 - 6-place dishwasher (optional)
- High-level storage lockers

To starboard

- Corian® Warm Grey worktop
- High-level storage lockers
- 190 L / 50 US gal/stainless steel drawer fridge
- Low-level storage lockers with shelves

CENTRAL FURNITURE

- Back: 1 storage niche + 1 bottle storage niche (6 bottles)
- Port: waste bin
- Starboard: storage behind door
- Front: top access storage, opening by flap

FORWARD AREA

- U-shaped sofa
- Dining table in Alpi Walnut (750 x 1135mm / 29.5in x 45in)
- Chart table to starboard



PORT HULL

Aft cabin

- Double bed with lateral access (2.05m x 1.60/ 6.7ft x 5.2ft)
- 2 bedside tables + shelf running along the bulkhead, inboard and outboard side
- 1 under-bed drawer
- Inboard side:
 - 1 full height unit with 1 shelf in upper part, 1 wardrobe and 1 shelf in lower part
- Outboard side:
 - 1 bookcase with 3 shelves in upper part + 1 unit with 1 shelf behind door in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 fixed hull window in PMMA with integrated opening porthole

Aft bathroom

- Corian® Clam Shell countertop
- Integrated sink with hot/cold mixer tap
- High-level unit with shelf behind mirrored sliding door
- Low-level storage unit with shelf behind double door
- Separated shower with Plexiglas door
- Composite shower duckboard
- Shampoo storage integrated in the composite shower block
- Large manual toilet
- 1 opening flush deck hatch T10
- 1 fixed hull window in bathroom and 1 fixed hull window in PMMA with integrated opening porthole in shower

Forward cabin

- Double bed with lateral access (2.05m x 1.50 / 6.7ft x 5ft)
- 2 shelves running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Inboard side:
 - 1 bookcase with 3 shelves
 - 1 storage unit with:
 - 1 full height door with wardrobe
 - 1 double door with shelves in upper part + 4 drawers in lower part
- Outboard side:
 - 1 full height door with wardrobe in upper part and 2 shelves in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 opening flush deck hatch T10 in the wardrobe area
- 1 fixed hull window in PMMA with integrated opening porthole

Forward bathroom

- Corian® Clam Shell countertop (CLAM SHELL)
- Integrated sink with hot/cold mixer tap
- High-level storage unit with shelf behind mirrored sliding door
- Low-level storage unit with shelf behind double door
- Separate shower with Plexiglas door
- Composite shower duckboard
- Shampoo storage integrated in the composite shower block
- Large manual toilet
- 1 opening flush deck hatch T10
- 1 fixed hull window in bathroom and 1 fixed hull window in PMMA with integrated opening porthole in shower

STARBOARD HULL

- Identical to port hull

6 cabin 6 bathroom version**GALLEY**

- Access through sliding door

To port

L-shaped galley area with:

- Corian® Warm Grey worktop
- Sink with integrated draining rack in the worktop
- Hot/cold mixer tap
- Bottle rack (7 bottles)
- 4-burner gas stove
- Gas oven
- Storage under sink:
 - Single door general shelving compartment
 - 1 cutlery drawer
 - 2 drawers for pans
 - 6-place dishwasher (optional)
- High-level storage lockers

To starboard

- Corian® Warm Grey worktop
- High-level storage lockers
- 190 L / 50 US gal/stainless steel drawer fridge
- Low-level storage lockers with shelves

CENTRAL FURNITURE UNIT

- Back: 1 storage niche + 1 bottle storage niche (6 bottles)
- Port: waste bin
- Starboard: storage behind door
- Front: top access storage, opening by flap

FORWARD AREA

- U-shaped sofa
- Diner table in Alpi Walnut (750 x 1135mm / 29.5in x 45in)
- Chart table to starboard



PORT HULL

Aft cabin

- Double bed with lateral access (2.05m x 1.60/ 6.7ft x 5.2ft)
- 2 bedside tables + shelf running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Inboard side:
 - 1 full height unit with 1 shelf in upper part, 1 wardrobe and 1 shelf in lower part
- Outboard side:
 - 1 bookcase with 3 shelves in upper part + 1 unit with 1 shelf behind door in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 fixed hull window in PMMA with integrated opening porthole

Forward cabin

- Double bed with lateral access (2.05m x 1.50 / 6.7 ft x 5 ft)
- 2 shelves running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Inboard side:
 - 1 bookcase with 3 shelves
 - 1 storage unit with:
 - 1 full height door with wardrobe
 - 1 double door with shelves in upper part + 4 drawers in lower part
- Outboard side:
 - 1 full height door with wardrobe in upper part and 2 shelves in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 opening flush deck hatch T10 in the wardrobe area
- 1 fixed hull window in PMMA with integrated opening porthole

Forward and aft bathrooms

- Access from companionway through wooden door
- Composite top with integrated sink
- High storage with mirror
- Low storage with shelves
- Integrated shower with pivoting panel
- Shampoo storage integrated in the composite shower block
- Large-size manual toilet
- 1 opening flush deck hatch T10

Midship cabin

- Access from companionway through wooden door
- Double bed with lateral access convertible into single bed
- Bedside table
- Storage/wardrobe
- Storage and shelves
- Sliding opening window from saloon
- Natural ventilation under the nacelle

Midship bathroom

- Access from companionway through wooden door
- Composite countertop with integrated sink
- High-level storage with mirror
- Low-level storage with shelves
- Integrated shower with pivoting panel

- Shampoo storage integrated in the composite shower block
- Large-size manual toilet
- 1 opening flush deck hatch T10

STARBOARD HULL

- Identical to port hull



162, quai de Brazza
CS 81217
33072 Bordeaux Cedex - France
Tél. 33 + (0) 557 80 92 80
E-mail : info@cata-lagoon.com
www.cata-lagoon.com